


Form –IV

Annual Report of Biomedical Waste Management

[To be submitted to the prescribed authority on or before 30th June every year for the period from January to December of the preceding year, by the Occupier of Health Care Facility (HCF) or common bio-medical waste treatment facility (CBWTF)]

Sr No	Particulars	Annual Report (2019)
1.	Particulars of the Occupier	AIIMS Raipur
	(i) Name of the authorized person (occupier or operator of facility)	Director AIIMS Raipur
	(ii) Name of HCF or CBMWTF	AIIMS Raipur
	(iii) Address for Correspondence	Director Office, AIIMS Raipur, Raipur, C.G. Pin 492099
	(i) Address of Facility	GE Road Tatibandh Raipur, C.G. Pin 492099
	(ii) Tel. No. Fax. No.	0771-2572999
	(V) E-mail ID	director@aiimsraipur.edu.in
	(i) URL of Website	www.aiimsraipur.edu.in
	(ii) GPS coordinates of HCF of CBMWTF	NA
	(iii) Ownership of HCF of CBMWTF	Central Govt.
	(iv) Status of Authorization under the Bio-Medical Waste (Management and Handling) Rules.	Authorization No. 597/BMW/HO/CECB/2015 Valid up to 06/05/2016 (renewal is under process)
	(v) Status of Consents under Water Act and Air Act.	Valid up to: in Process
2.	Type of Health Care Facility	Tertiary
	(i) Bedded Hospital	700 beds
	(ii) Non-Bedded Hospital (Clinic or Blood Bank or Clinical Laboratory or Research Institute or Veterinary Hospital or any other)	----
	(iii) License number and its date of expiry.	CG State 3120
3.	Details if CBMWTF	
	(i) Number healthcare facilities covered by CBMWTF	NA
	(ii) No. of beds covered by CBMWTF	-----
	(iii) Installed treatment and disposal capacity of CBMWTF	-----
	(iv) Quantity of biomedical waste treated or disposal by CBMWTF	-----
4.	Quantity of waste generated or disposed in Kg per annum (on monthly average basis)	Yellow category: 57347.280 Kg. Red Category: 60866.74 Kg. White sharp: 1586.155Kg [puncture proof] Blue Category: 11024.450 KG. (glass items)



		General Solid waste: 56976 Kg.
5.	Details of the Storage , treatment, transportation, processing and Disposal Facility	
	(i) Details of the on-site storage facility	Size : 24x20 Square feet
		Capacity:10000 K.G
		Provision of on-site storage: (cold storage or any other provision)
	(ii) Disposal Facilities	Type of treatment No Capacity Quantity Equipment of Kg/day treated or Units disposed In Kg per Annum
	To be Taken care of by SMS enviro protect Pvt. ltd (Siltara) Raipur (C.G)	Incinerators Plasma Paralysis Autoclaves Microwave Hydro clave Shredder Needle tip cutter or destroyer --- Sharps encapsulation or concrete pit ---- Deep Burial pits: Chemical disinfection: ---- Any other treatment equipment:
	(iii) Quantity of recyclable wastes sold to authorize recyclers after treatment in kg per annum.	Red Category (like plastic, gloves iv sets etc.) Handed over to SMS ENVIROPROTECT PVT LTD
	(iv) No of vehicles used for collection and transportation of biomedical waste.	01
	(v) Details of incineration ash and ETP sludge generated and disposal during the treatment of wastes in Kg per annum)	Quantity Generated Where disposal Incineration NA Ash ETP Sludge
	(vi) Name of the Common Bio-Medical Waste Treatment Facility Operator through which wastes are disposed of	SMS ENVIRO PROTECT PVT LTD
	(vii) List of member HCF not handed over bio-medical waste.	NA
6.	Do you have bio-medical waste management committee? If yes, attach minutes of the meetings held during the reporting period.	Yes, Attached
7.	Detail trainings conducted on BMW	
	(i) Number of training conducted on BMW Management.	Three trainings conducted.
	(ii) Number of personnel trained	1030 staff trained out of 1136 staff (with faculty)

	(iii) Number of personnel trained at the time of induction	:	1030
	(iv) Number of personnel not undergone any training so far.	:	106
	(v) Whether standard manual for training is available?	:	Yes
	(vi) Any other information)	:	NA
8.	Details of the accident occurred during the year	:	Nil (No major accidents reported)
	(i) Number of Accidents occurred	:	Nil
	(ii) Number of the persons affected	:	Nil
	(iii) Remedial Action taken (Please attach details if any)	:	NA
	(iv) Any Fatality occurred, details.	:	NA
9.	Are you meeting the standards of air Pollution from the incinerator? How many times in last year could not met the standards?	:	NA
	Details of Continuous online emission monitoring systems installed	:	NA
10.	Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year.	:	STP - Fully Functional Since December, 2018 ETP- Fully Functional Since September, 2019 Standards maintained always.
11.	It the disinfection method or sterilization meeting the log 4 standards? How many times you have not met the standards in a year?	:	Available as per log 4 standard
12.	Any other relevant information	:	NA

Certified that the above report is for the period from- 01/01/2019 to 31/12/2019


Date: 08-05-2020

Place:
AIIMS, Raipur

Name and Signature of the Head of the Institution

11.5 29 20
 प्रो. (डॉ.) नितिन म. नागर्कर
 Prof. (Dr.) Nitin M. Nagarkar
 निदेशक / DIRECTOR
 एम्स रायपुर, छत्तीसगढ़ ४९२०९९
 AIIMS Raipur, Chhattisgarh 492099

ETP-01



CENTRE FOR GROUND WATER RECHARGE TESTING LABORATORY

A House of Complete Water Testing

Chattisgarh First NABL Accredited Lab in Water & Waste Water Testing
 AN ISO 9001:2008 Certified Lab & CRISIL Rating 4*



NABL ACCREDITED
 Accredited Laboratory
 Certificate No. - TC-6813

90/A, Sector II, Geelanjali Nagar, Raipur (Chattisgarh) Tel: 0771-4049364 (Laboratory)
 Mobile No. : +91 9424203354, +91 7000664898, +91 9424203408
 Email : cgwrtestinglab@gmail.com, cgwr.raipur@gmail.com Website : www.cgwr.in.

TEST REPORT

ULR - TC68131800000704P

TEST REPORT NO:CGWR/WW/207

Customer Name and Address-

EUREKA FORBES LTD.

C/O- AIIMS, RAIPUR (C.G.)

OPPOSITE GURUDWARA, TATIBANDH,
 RAIPUR (C.G.)

Format No.: 5.10F-01

SRF No: CGWR/SRF/WW/130

Job Order No: CGWR/WW/207

Date of receipt sample: 20/09/2019

Date of Testing : 20/09/2019-24/09/2019

Date of Reporting : 24/09/2019

Sample detail : ETP WATER

Sample ID: RAW EFFLUENT NEAR
 HOSPITAL BLOCK AAI

Sample Quantity: 1Ltr

Container : Plastic

Environment Condition -: Temp 27.8°C / Humidity- 45%

Sl. No	PARAMETERS	TEST METHOD	UNIT	The Environment (Protection) Rules, 1986	TEST RESULT
A. Chemical Parameter					
1.	pH	APHA 23 rd Edition 2017- 4500-H+ A.		5.5-9.0	7.97
2.	TSS	APHA 23 rd Edition 2017-2540 C.	mg/l	200	1
3.	COD	APHA 23 rd Edition 2017-5220 B, C	mg/l	250	40
4.	BOD	APHA 23 rd Edition 2017-5210B / 4500 O-C	mg/l	30	12
5.	Coli form*	IS 5401:(Part):2002	Colony Count	<1000	820

Tested by

Chinmayee Mohanty (Sr. Chemist)

Centre For Ground Water Recharge
 Testing Laboratory
 NABL Accredited Lab
 Certificate No.:-TC-6813

Authorized Signature

Mrs. Sarita Panigrahi (QM)

1. This test report refers only to the particular items submitted for testing
 2. The test results reported in this report are valid at the time, time of and under the stated condition of measurement
 3. The practice test report cannot be reproduced except in full, without prior permission of quality manager

ETP-2

AIIMS Raipur



CENTRE FOR GROUND WATER RECHARGE TESTING LABORATORY
A House of Complete Water Testing



NABL ACCREDITED
Accredited Laboratory
Certificate No. -10-2813

90/A, Sector II, Geetanjali Nagar, Raipur (Chattisgarh) Tel: 0771-4049364 (Laboratory)
Mobile No. : +91 9424203354, +91 7000664898, +91 9424203408
Email : cgwrtestinglab@gmail.com, cgwr.raipur@gmail.com Website : www.cgwr.in

TEST REPORT

ULR - TC68131800000701P
TEST REPORT NO:CGWR/WW/204
Customer Name and Address-
EUREKA FORBES LTD.
C/O- AIIMS, RAIPUR (C.G.)
OPPOSITE GURUDWARA, TATIBANDH,
RAIPUR (C.G.)

Format No.: 5.10F-01
 SRF No: CGWR/SRF/WW/130
 Job Order No: CGWR/WW/204
 Date of receipt sample: 20/09/2019
 Date of Testing : 20/09/2019-24/09/2019
 Date of Reporting : 24/09/2019

Sample detail : ETP WATER Sample ID: TREATED EFFLUENT
 NEAR MEDICAL COLLEGE

Environment Condition: Temp 27.8°C / Humidity- 45%
 Sample Quantity: 1Ltr Container : Plastic

Sl. No	PARAMETERS	TEST METHOD	UNIT	The Environment (Protection) Rules, 1986	TEST RESULT
A Chemical Parameter					
1	pH	APHA 23 rd Edition 2017- 4500-H+ A.		5.5-9.0	7.23
2.	TSS	APHA 23 rd Edition 2017-2540 C.	mg/l	200	1
3.	COD	APHA 23 rd Edition 2017-5220 B, C	mg/l	250	10
4.	BOD	APHA 23 rd Edition 2017-5210B / 4500 O- C	mg/l	30	3.6
5.	Coli form*	IS 5401:(Part):2002	Colony Count	<1000	600

Tested by

Chinmayee Mohanty (Sr. Chemist)

Centre For Ground Water Recharge

Testing Laboratory
Raipur (C.G.)

Authorized Signature

Mrs. Sarita Panigrahi (QM)

ETP-03

AIIMS Raipur



Save Water for the Future Generation!

CENTRE FOR GROUND WATER RECHARGE TESTING LABORATORY

A House of Complete Water Testing

Chhattisgarh First NABL Accredited Lab in Water & Waste Water Testing
AN ISO 9001:2008 Certified Lab & CRISIL Rating 4*NABL ACCREDITED
Accredited Laboratory
Certificate No. - TC-6813

90/A, Sector II, Geetanjali Nagar, Raipur (Chattisgarh) Tel: 0771-4049364 (Laboratory)
Mobile No. : +91 9424203354, +91 7000664898, +91 9424203408
Email : cgwrtestinglab@gmail.com, cgwr.raipur@gmail.com Website : www.cgwr.in

TEST REPORT

ULR - TC68131800000759P		Format No.: 5.10F-01			
TEST REPORT NO:CGWR/WW/225		SRF No: CGWR/SRF/WW/138			
Customer Name and Address-		Job Order No: CGWR/WW/225			
EUREKA FORBES LTD.		Date of receipt sample: 09/11/2019			
C/O- AIIMS, RAIPUR (C.G.)		Date of Testing : 09/11/2019-13/11/2019			
OPPOSITE GURUDWARA, TATIBANDH, RAIPUR (C.G.)		Date of Reporting :13/11/2019			
Sample detail : ETP WATER	Sample ID: RAW EFFLUENT NEAR HOSPITAL BLOCK- B	Sample Quantity: 1Ltr	Container : Plastic		
Environment Condition -: Temp 27.8 ^o C / Humidity- 45%					
Sl. No	PARAMETERS	TEST METHOD	UNIT	The Environment (Protection) Rules, 1986	TEST RESULT
A. Chemical Parameter					
1.	pH	APHA 23 rd Edition 2017- 4500-H+ A.	-	5.5-9.0	8.10 ✓
2.	TSS	APHA 23 rd Edition 2017-2540 C.	mg/l	200	5 ✓
3.	COD	APHA 23 rd Edition 2017-5220 B, C	mg/l	250	26.6 ✓
4.	BOD	APHA 23 rd Edition 2017-5210B / 4500 O- C	mg/l	30	7.2 ✓
5.	Coli form*	IS 5401:(Part):2002	Colony Count	<1000	711 ✓

Tested by

Chinmayee Mohanty (Sr. Chemist)

Centre For Ground Water Recharge
Testing Laboratory
NABL Accredited Lab
Certificate No.:TC-6813

Authorized Signature

Mrs. Sarita Panigrahi (QM)



- This test report refers only this particular item's submitted for testing
- The test results reported in this report are valid only at the time and under the stated condition of measurement.
- This particular test report cannot be reproduced exact in full, without prior permission of quality manager.

✓ sent by email to Dr. Padma Das as instructed by EE CCIV(L),



CENTRE FOR GROUND WATER RECHARGE TESTING LABORATORY

A House of Complete Water Testing

Save Water for the Future Generation!!

Chhattisgarh First NABL Accredited Lab in Water & Waste Water Testing
AN ISO 9001:2008 Certified Lab & CRISIL Rating 4*



90/A, Sector II, Geetanjali Nagar, Raipur (Chattisgarh) Tel: 0771-4049364 (Laboratory)
Mobile No. : +91 9424203354, +91 7000664898, +91 9424203408
Email : cgwrtestinglab@gmail.com, cgwr.raipur@gmail.com Website : www.cgwr.in

TEST REPORT

ULR - TC681318000000760P			Format No.: 5.10F-01		
TEST REPORT NO:CGWR/WW/226			SRF No: CGWR/SRF/WW/138		
Customer Name and Address-			Job Order No: CGWR/WW/226		
EUREKA FORBES LTD.			Date of receipt sample: 09/11/2019		
C/O- AIIMS, RAIPUR (C.G.)			Date of Testing : 09/11/2019-13/11/2019		
OPPOSITE GURUDWARA, TATIBANDH,			Date of Reporting :13/11/2019		
RAIPUR (C.G.)					
Sample detail : ETP WATER		Sample ID: TREATED EFFLUENT, NEAR HOSPITAL BLOCK-B		Sample Quantity: 1Ltr	Container : Plastic
Environment Condition :- Temp 27.8°C / Humidity- 45%					
Sl. No	PARAMETERS	TEST METHOD	UNIT	The Environment (Protection) Rules, 1986	TEST RESULT
A. Chemical Parameter					
1.	pH	APHA 23 rd Edition 2017- 4500-H+ A.	-	5.5-9.0	7.95 ✓
2.	TSS	APHA 23 rd Edition 2017-2540 C.	mg/l	200	Nil ✓
3.	COD	APHA 23 rd Edition 2017-5220 B, C	mg/l	250	10 ✓
4.	BOD	APHA 23 rd Edition 2017-5210B / 4500 O- C	mg/l	30	3.6 ✓
5.	Coli form*	IS 5401:(Part):2002	Colony Count	<1000	600 ✓

Tested by

Chinmayee Mohanty (Sr. Chemist)

Centre For Ground Water Recharge
Testing Laboratory
NABL Accredited Lab
Certificate No.: -TC-6813

Authorized Signature

Mrs. Sarita Panigrahi (QM)



This test report refers only this particular item's suitability for testing
2. The test results reported in this report are valid at the time and under the stated condition of measurement.
3. This particular test report cannot be reproduced except in full, without prior permission of quality manager.
4. Parameter marked with * are not covered in scope for NABL accreditation.

✓ sent by e-mail to Dr Padma Das on 14.11.2019 as instructed by EECivilly

ETP-03



भारतीय चिकित्सा संशोधन परिषद्
भारतीय चिकित्सा संशोधन संस्थान
A House of Complete Water Testing
ISO 9001:2008 Certified Lab & ISO 15189:2013



90/A, Sector II, Geeranjali Nagar, Raipur (Chattisgarh) Tel: 0771-4049364 (Laboratory)
Mobile No. : +91 9424203354, +91 7000664898, +91 9424203408
Email : cgwrtestinglab@gmail.com, cgwr.raipur@gmail.com Website : www.cgwr.in

TEST REPORT

ULR - TC68131800000703P

TEST REPORT NO:CGWR/WW/206

Customer Name and Address-

EUREKA FORBES LTD.

C/O - AIIMS, RAIPUR (C.G.)

OPPOSITE GURUDWARA, TATIBANDH,

RAIPUR (C.G.)

Sample detail : ETP WATER

Sample ID: RAW EFFLUENT NEAR
MEDICAL COLLEGE

Format No.: 5.10F-01

SRF No: CGWR/SRF/WW/130

Job Order No: CGWR/WW/206

Date of receipt sample: 20/09/2019

Date of Testing : 20/09/2019-24/09/2019

Date of Reporting : 24/09/2019

Sample Quantity: 1Ltr | Container : Plastic

Environment Condition :- Temp 27.8^oC / Humidity- 45%

Sl. No	PARAMETERS	TEST METHOD	UNIT	The Environment (Protection) Rules 1986	TEST RESULT
A. Chemical Parameter					
1.	pH	APHA 23 rd Edition 2017- 4500-H+ A.	-	5.5-9.0	8.00
2.	TSS	APHA 23 rd Edition 2017-2540 C.	mg/l	200	2
3.	COD	APHA 23 rd Edition 2017-5220 B, C	mg/l	250	30
4.	BOI	APHA 23 rd Edition 2017-5210B / 4500 O- C	mg/l	30	9.6
5.	Coli form	IS 5401:(Part):2002	Colony Count	<1000	800

Tested by

Chinmayee Mohanty (Sr. Chemist)

Centre For Ground Water Recharge
Testing Laboratory
NABL Accredited Lab
Certificate No.:TC-6813

Authorized Signature

Mrs. Sarita Panigrahi (QM)

1. This test report refers only this particular item's submitted for testing.
2. The test results reported in this report are valid at the time time of and under the stored condition of measurement.
3. This particular test report cannot be reproduced anywhere full, without prior permission of quality manager.

ETP-3



CENTRE FOR GROUND WATER RECHARGE TESTING LABORATORY

A House of Complete Water Testing



Save Water for the Future Generation!

Chhatisgarh First NABL Accredited Lab in Water & Waste Water Testing
An ISO 9001:2008 Certified Lab & CRISIL Rating 4*

NABL ACCREDITED
Accredited Laboratory
Certificate No. TC-8813

90/A, Sector II, Geetanjali Nagar, Raipur (Chhattisgarh) Tel: 0771-4049364 (Laboratory)
Mobile No. : +91 9424203354, +91 7000664898, +91 9424203408
Email : cgwrtestinglab@gmail.com, cgwr.raipur@gmail.com Website : www.cgwr.in

TEST REPORT

ULR - TC68131800000702P

TEST REPORT NO:CGWR/WW/205

Customer Name and Address-

EUREKA FORBES LTD.

C/O- AIIMS, RAIPUR (C.G.)

OPPOSITE GURUDWARA, TATIBANDH,
RAIPUR (C.G.)

Format No.: 5.10F-01

SRF No: CGWR/SRF/WW/130

Job Order No: CGWR/WW/205

Date of receipt sample: 20/09/2019

Date of Testing : 20/09/2019-24/09/2019

Date of Reporting : 24/09/2019

Sample detail : ETP WATER

Sample ID: TREATED EFFLUENT,
NEAR HOSPITAL BLOCK-AAI

Sample Quantity: 1Ltr

Container : Plastic

Environment Condition -: Temp 27.8°C / Humidity- 45%

Sl. No	PARAMETERS	TEST METHOD	UNIT	The Environment (Protection) Rules, 1986	TEST RESULT
A. Chemical Parameter					
1.	pH	APHA 23 rd Edition 2017- 4500-H+ A.	-	5.5-9.0	8.48
2.	TSS	APHA 23 rd Edition 2017-2540 C.	mg/l	200	Nil
3.	COD	APHA 23 rd Edition 2017-5220 B, C	mg/l	250	8
4.	BOD	APHA 23 rd Edition 2017-5210B / 4500 O- C	mg/l	30	2.4
5.	Coli form*	IS 5401:(Part):2002	Colbny Count	<1000	400


Tested by

Chinmayee Mohanty (Sr. Chemist)

Centre For Ground Water Recharge
Testing Laboratory
NABL Accredited Lab
Certificate No.:TC-8813


Authorized Signature

Mrs. Sarita Panigrahi (QM)



**CENTRE FOR GROUND WATER RECHARGE
TESTING LABORATORY**
A House of Complete Water Testing

Chhattisgarh First NABL Accredited Lab in Water & Waste Water Testing
AN ISO 9001:2008 Certified Lab & CRISIL Rating 4*




90/A, Sector II, Geetanjali Nagar, Raipur (Chhattisgarh) Tel: 0771-4049364 (Laboratory)
Mobile No. : +91 9424203354, +91 7000664898, +91 9424203408
Email : cgwrtestinglab@gmail.com, cgwr.raipur@gmail.com Website : www.cgwr.in

TEST REPORT

ULR - TC68131800000759P		Format No.: 5.10F-01			
TEST REPORT NO:CGWR/WW/225		SRF No: CGWR/SRF/WW/138			
Customer Name and Address-		Job Order No: CGWR/WW/225			
EUREKA FORBES LTD.		Date of receipt sample: 09/11/2019			
C/O- AIIMS, RAIPUR (C.G.)		Date of Testing : 09/11/2019-13/11/2019			
OPPOSITE GURUDWARA, TATIBANDH,		Date of Reporting :13/11/2019			
RAIPUR (C.G.)					
Sample detail : ETP WATER	Sample ID: RAW EFFLUENT NEAR HOSPITAL BLOCK- B	Sample Quantity: 1Ltr	Container : Plastic		
Environment Condition -- Temp 27.8°C / Humidity- 45%					
Sl. No	PARAMETERS	TEST METHOD	UNIT	The Environment (Protection) Rules, 1986	TEST RESULT
A. Chemical Parameter					
1.	pH	APHA 23 rd Edition 2017- 4500-H+ A.	-	5.5-9.0	8.10 ✓
2.	TSS	APHA 23 rd Edition 2017-2540 C.	mg/l	200	5 ✓
3.	COD	APHA 23 rd Edition 2017-5220 B, C	mg/l	250	26.6 ✓
4.	BOD	APHA 23 rd Edition 2017-5210B / 4500 O- C	mg/l	30	7.2 ✓
5.	Coli form*	IS 5401:(Part):2002	Colony Count	<1000	711 ✓


Tested by



Chinmayee Mohanty (Sr. Chemist)

**Centre For Ground Water Recharge
Testing Laboratory
NABL Accredited Lab
Certificate No.:-TC-3312**

Authorized Signature




Mrs. Sarita Panigrahi (QM)


1. This report refers only this particular item's sample testing.

2. The test results reported in this report are valid only at the time and under the stated condition of measurement.

3. This particular test report cannot be reproduced except in full with the prior permission of quality manager.

4. For more details visit the website www.cgwr.in or NABL.






CENTRE FOR GROUND WATER RECHARGE TESTING LABORATORY

A House of Complete Water Testing


Chhattisgarh First NABL Accredited Lab in Water & Waste Water Testing
AN ISO 9001:2008 Certified Lab & CRISIL Rating 4*




90/A, Sector II, Geetanjali Nagar, Raipur (Chattisgarh) Tel: 0771-4049364 (Laboratory)
Mobile No. : +91 9424203354, +91 7000664898, +91 9424203408
Email : cgwrtestinglab@gmail.com, cgwr.raipur@gmail.com Website : www.cgwr.in

TEST REPORT

ULR - TC68131800000760P		Format No.: 5.10F-01			
TEST REPORT NO:CGWR/WW/226		SRF No: CGWR/SRF/WW/138			
Customer Name and Address-		Job Order No: CGWR/WW/226			
EUREKA FORBES LTD.		Date of receipt sample: 09/11/2019			
C/O- AIIMS, RAIPUR (C.G.)		Date of Testing : 09/11/2019-13/11/2019			
OPPOSITE GURUDWARA, TATIBANDH,		Date of Reporting :13/11/2019			
RAIPUR (C.G.)					
Sample detail : ETP WATER	Sample ID: TREATED EFFLUENT, NEAR HOSPITAL BLOCK-B	Sample Quantity: 1Ltr	Container : Plastic		
Environment Condition -: Temp 27.8°C / Humidity-45%					
Sl. No	PARAMETERS	TEST METHOD	UNIT	The Environment (Protection) Rules, 1986	TEST RESULT
A. Chemical Parameter					
1.	pH	APHA 23 rd Edition 2017- 4500-H+ A.	-	5.5-9.0	7.95 ✓
2.	TSS	APHA 23 rd Edition 2017-2540 C.	mg/l	200	Nil ✓
3.	COD	APHA 23 rd Edition 2017-5220 B, C	mg/l	250	10 ✓
4.	BOD	APHA 23 rd Edition 2017-5210B / 4500 O- C	mg/l	30	3.6 ✓
5.	Coli form*	IS 5401:(Part):2002	Colony Count	<1000	600 ✓

Tested by

Chinmayee Mohanty (Sr. Chemist)

Centre For Ground Water Recharge
Testing Laboratory
NABL Accredited Lab
Certificate No.:TC-6813

Authorized Signature

Mrs. Sarita Panigrahi (QM)



1. This test report refers only this particular item's submitted for testing.
2. The test results reported in this report are valid of the time and place stated under the stated condition of measurement.
3. This particular test report cannot be reproduced except in full, without prior permission of quality manager.
4. Parameter marked with * are not covered in scope for NABL accreditation.



Save Water for the Future Generation!!

CENTRE FOR GROUND WATER RECHARGE TESTING LABORATORY

A House of Complete Water Testing

Chhattisgarh First NABL Accredited Lab in Water & Waste Water Testing
AN ISO 9001:2008 Certified Lab & CRISIL Rating 4*



90/A, Sector II, Geetanjali Nagar, Raipur (Chattisgarh) Tel: 0771-4049364 (Laboratory)
Mobile No. : +91 9424203354, +91 7000664898, +91 9424203408
Email : cgwrtestinglab@gmail.com, cgwr.raipur@gmail.com Website : www.cgwr.in

TEST REPORT

ULR - TC68131800000208F		Format No.: 5.10F-01		
TEST REPORT NO:CGWR/WW/133		SRF No: CGWR/SRF/WW/90		
Customer Name and Address-		Job Order No: CGWR/WW/133		
RAIN DROPS WATER SOLUTION		Date of receipt sample: 12/01/2019		
AT SITE- AIIMS RAIPUR(C.G.)		Date of Testing : 14/01/2019 -17/01/2019		
PLOT NO. 21, PHASE-6, MAITRI NAGAR, RISALI DURG (C.G.)		Date of Reporting : 17/01/2019		
Sample Detail : Waste Water	Sample ID: RAW WATER	Sample Quantity -1 liter	Container - Plastic Bottle	
Environment Condition -: Temp-26.1°C / Humidity-36%				
Sl. No	PARAMETERS	TEST METHOD	UNIT	TEST RESULT
A.	<i>Chemical Parameter</i>			
1.	pH	APHA 23rd Edition 2017- 4500-H+ A.	-	7.27
2.	Total Dissolve Solids	APHA 23rd Edition 2017-2540 C.	mg/l	400
3.	Oil and Grease	APHA 23rd Edition 2017-5520 O&G B, C	mg/l	12
4.	COD	APHA 23rd Edition 2017-5220 B, C	mg/l	440
5.	BOD	APHA 23rd Edition 2017-5210B / 4500 O- C	mg/l	90

Tested by

Chinmayee Mohanty (Sr.Chemist)

Centre For Ground Water Recharge
Testing Laboratory
NABL Accredited Lab
Certificate No.:TC-6813

Authorized Signature

Mrs. Sarita Panigrahi

1. This test report refers only this particular item's submitted for testing
2. The test results reported in this report are valid at the time time of and under the stated condition of measurement.
3. This particular test report cannot be reproduced exact in full, without prior permission of quality manager.



CENTRE FOR GROUND WATER RECHARGE TESTING LABORATORY

A House of Complete Water Testing

Save Water for the Future Generation!!

Chhattisgarh First NABL Accredited Lab in Water & Waste Water Testing
AN ISO 9001:2008 Certified Lab & CRISIL Rating 4*



90/A, Sector II, Geetanjali Nagar, Raipur (Chattisgarh) Tel: 0771-4049364 (Laboratory)
Mobile No. : +91 9424203354, +91 7000664898, +91 9424203408
Email : cgwrtestinglab@gmail.com, cgwr.raipur@gmail.com Website : www.cgwr.in

TEST REPORT

ULR - TC681318000000207F		Format No.: 5.10F-01		
TEST REPORT NO:CGWR/WW/132		SRF No: CGWR/SRF/WW/90		
Customer Name and Address-		Job Order No: CGWR/WW/132		
RAIN DROPS WATER SOLUTION		Date of receipt sample: 12/01/2019		
AT SITE- AIIMS RAIPUR(C.G.)		Date of Testing : 14/01/2019 -17/01/2019		
PLOT NO. 21, PHASE-6, MAITRI NAGAR, RISALI, DURG (C.G.)		Date of Reporting : 17/01/2019		
Sample Detail : Waste Water	Sample ID: TREATED WATER	Sample Quantity -1 liter	Container - Plastic Bottle	
Environment Condition -: Temp-26.1°C / Humidity-36%				
Sl. No	PARAMETERS	TEST METHOD	UNIT	TEST RESULT
A.	<i>Chemical Parameter</i>			
1.	pH	APHA 23rd Edition 2017- 4500-H+ A.	-	7.61
2.	Total Dissolve Solids	APHA 23rd Edition 2017-2540 C.	mg/l	320
3.	Oil and Grease	APHA 23rd Edition 2017-5520 O&G B, C	mg/l	7
4.	COD	APHA 23rd Edition 2017-5220 B, C	mg/l	200
5.	BOD	APHA 23rd Edition 2017-5210B / 4500 O- C	mg/l	60

Tested by

Chinmayee Mohanty (Sr.Chemist)

Centre For Ground Water Recharge **Authorized Signature**

Testing Laboratory
NABL Accredited Lab
Certificate No.:-TC-6813

Mrs. Sarita Panigrahi

1. This test report refers only this particular item's submitted for testing
2. The test results reported in this report are valid at the time time of and under the stated condition of measurement.
3. This particular test report cannot be reproduced exact in full, without prior permission of quality manager.



CENTRE FOR GROUND WATER RECHARGE TESTING LABORATORY

A House of Complete Water Testing

Save Water for the Future Generation!

Chhattisgarh First NABL Accredited Lab in Water & Waste Water Testing
AN ISO 9001:2008 Certified Lab & CRISIL Rating 4*



90/A, Sector II, Geetanjali Nagar, Raipur, (Chattisgarh) Tel: 0771-4049364 (Laboratory)
Mobile No. : +91 9424203354, +91 7000664898, +91 9424203408
Email : cgwrtestinglab@gmail.com, cgwr.raipur@gmail.com Website : www.cgwr.in

TEST REPORT

ULR - TC681318000000253P		Format No.: 5.10F-01		
TEST REPORT NO:CGWR/WW/141		SRF No: CGWR/SRF/WW/95		
Customer Name and Address-		Job Order No: CGWR/WW/141		
R.L. KASHYAP & SONS LTD.		Date of receipt sample: 18/02/2019		
C/O- AIIMS HOSPITAL		Date of Testing : 18/02/2019 -23/02/2019		
TATIBAND OPP. GURUDWARA, RAIPUR (C.G.)		Date of Reporting : 23/02/2019		
Sample Detail : Waste Water (STP Water)	Sample ID: TREATED WATER	Sample Quantity -1 liter	Container - Plastic Bottl	
Environment Condition -: Temp-25°C / Humidity-34%				
Sl. No	PARAMETERS	TEST METHOD	UNIT	TEST RESULT
A. Chemical Parameter				
1.	pH	APHA 23rd Edition 2017- 4500-H+ A.	-	7.25
2.	Total Suspended Solids	APHA 23rd Edition 2017 2540 D.	mg/l	5
3.	Oil and Grease	APHA 23rd Edition 2017-5520 O&G B, C	mg/l	3
4.	COD	APHA 23rd Edition 2017-5220 B, C	mg/l	30
5.	BOD	APHA 23rd Edition 2017-5210B / 4500 O- C	mg/l	8.4
B. Microbiological Parameter*				
1.	Fecal Coliform	IS 5401:(Part I):2002	Colony count/100ml	Absent

Tested by

Chinmayee Mohanty (Sr.Chemist)

Authorized Signature

Centre For Ground Water Recharge
Testing Laboratory
NABL Accredited Lab
Certificate No.:-TC-6813

Mrs. Sarita Panigrahi (GM)

1. This test report refers only this particular item's submitted for testing
2. The test results reported in this report are valid at the time time of and under the stated condition of measurement.
3. This particular test report cannot be reproduced exact in full, without prior permission of quality manager.
4. Parameter marked with "*" are not covered in scope for NABL accreditation.



CENTRE FOR GROUND WATER RECHARGE TESTING LABORATORY

A House of Complete Water Testing

Chhattisgarh First NABL Accredited Lab in Water & Waste Water Testing
AN ISO 9001:2008 Certified Lab & CRISIL Rating 4*



90/A, Sector II, Geetanjali Nagar, Raipur (Chattisgarh) Tel: 0771-4049364 (Laboratory)
Mobile No. : +91 9424203354, +91 7000664898, +91 9424203408
Email : cgwrtestinglab@gmail.com, cgwr.raipur@gmail.com Website : www.cgwr.in

TEST REPORT

ULR - TC681318000000309F		Format No.: 5.10F-01		
TEST REPORT NO:CGWR/WW/146		SRF No: CGWR/SRF/WW/100		
Customer Name and Address-		Job Order No: CGWR/WW/148		
B. L. KASHYAP & SONS LTD.		Date of receipt sample: 25/03/2019		
C/O. AIIMS RAIPUR.		Date of Testing : 26/03/2019 -29/03/2019		
OPPOSITE- GURUDWARA,		Date of Reporting : 01/04/2019		
TATIBANDH RAIPUR (C.G.)				
Sample Detail : STP WATER	Sample ID: TREATED WATER	Sample Quantity - 1 liter	Container - Plastic Bottle	
Environment Condition -: Temp-27.1°C / Humidity-36%				
Sl. No	PARAMETERS	TEST METHOD	UNIT	TEST RESULT
<i>Chemical Parameter</i>				
1.	pH	APHA 23rd Edition 2017- 4500-H+ A.	-	7.50
2.	Total Suspended Solids	APHA 23rd Edition 2017 2540 D.	mg/l	5
3.	COD	APHA 23rd Edition 2017-5220 B, C	mg/l	20
4.	BOD	APHA 23rd Edition 2017-5210B / 4500 O- C	mg/l	6

Tested by

Chinmayee Mohanty (Sr. Chemist)

Centre For Ground Water Recharge
Testing Laboratory
NABL Accredited Lab
Certificate No.: -TC-6813

Authorized Signature

Mrs. Sarita Panigrahi (QM)

1. This test report refers only this particular item's submitted for testing
2. The test results reported in this report are valid at the time of and under the stated condition of measurement.
3. This particular test report cannot be reproduced exact in full, without prior permission of quality manager.



Save Water for the Future Generation!!

CENTRE FOR GROUND WATER RECHARGE TESTING LABORATORY

A House of Complete Water Testing

Chhattisgarh First NABL Accredited Lab in Water & Waste Water Testing
AN ISO 9001:2008 Certified Lab & CRISIL Rating 4*

AIIMS Raipur



NABL ACCREDITED
Accredited Laboratory
Certificate No. : TC-681

90/A, Sector II, Geetanjali Nagar, Raipur (Chattisgarh) Tel: 0771-4049364 (Laboratory)
Mobile No. : +91 9424203354, +91 7000664898, +91 9424203408
Email : cgwrtestinglab@gmail.com, cgwr.raipur@gmail.com Website : www.cgwr.in

TEST REPORT

ULR - TC681318000000443F		Format No.: 5.10F-01		
TEST REPORT NO:CGWR/WW/152		SRF No: CGWR/SRF/WW/103		
Customer Name and Address-		Job Order No: CGWR/WW/152		
RAIN DROPS WATER SOLUTION		Date of receipt sample: 30/04/2019		
C/O- AIIMS, RAIPUR (C.G.)		Date of Testing : 01/05/2019-05/05/2019		
OPPOSITE GURUDWARA TATIBANDH,		Date of Reporting : 07/05/2019		
RAIPUR (C.G.)				
Sample detail : STP WATER		Sample ID: TREATED WATER	Sample Quantity: 1Ltr	
Environment Condition :- Temp 27 ^o C / Humidity- 54%		Container : Plastic		
Sl. No	PARAMETERS	TEST METHOD	UNIT	TEST RESULT
A. Chemical Parameter				
1.	pH	APHA 23 rd Edition 2017- 4500-H+ A.	-	7.67
2.	TSS	APHA 23 rd Edition 2017-2540 C.	mg/l	3
3.	COD	APHA 23 rd Edition 2017-5220 B, C	mg/l	30.1
	BOD	APHA 23 rd Edition 2017-5210B / 4500 O- C	mg/l	8.4

Tested by

Chinmayee Mohanty (Sr. chemist)

Centre For Ground Water Recharge
Testing Laboratory
NABL Accredited Lab
Certificate No.:-TC 6813

Authorized Signature

Mr. K. Panigrahi (TM)

1. This test report refers only this particular item's submitted for testing
2. The test results reported in this report are valid at the time of and under the stated condition of measurement.
3. This particular test report cannot be reproduced exact in full, without prior permission of quality manager.



CENTRE FOR GROUND WATER RECHARGE TESTING LABORATORY

A House of Complete Water Testing

Chhattisgarh First NABL Accredited Lab in Water & Waste Water Testing
AN ISO 9001:2008 Certified Lab & CRISIL Rating 4*



90/A, Sector II, Geetanjali Nagar, Raipur (Chattisgarh) Tel: 0771-4049364 (Laboratory)
Mobile No. : +91 9424203354, +91 7000664898, +91 9424203408
Email : cgwrtestinglab@gmail.com, cgwr.raipur@gmail.com Website : www.cgwr.in

TEST REPORT

JLR - TC68131800000513F		Format No.: 5.10F-01		
TEST REPORT NO:CGWR/WW/159		SRF No: CGWR/SRF/WW/110		
Customer Name and Address-		Job Order No: CGWR/WW/159		
RAIN DROPS WATER SOLUTION		Date of receipt sample: 13/06/2019		
C/O- AIIMS, RAIPUR (C.G.)		Date of Testing : 14/06/2019 19/06/2019		
OPPOSITE GURUDWARA TATIBANDH,		Date of Reporting : 19/06/2019		
RAIPUR (C.G.)				
Sample detail : STP WATER Sample ID: TREATED WATER		Sample Quantity: 1Ltr Container : Plastic		
Environment Condition -: Temp 27.8°C / Humidity- 45%				
Sl. No	PARAMETERS	TEST METHOD	UNIT	TEST RESULT
A. Chemical Parameter				
1.	pH	APHA 23 rd Edition 2017- 4500-H+ A.	-	7.43
2.	TSS	APHA 23 rd Edition 2017-2540 C.	mg/l	5
	COD	APHA 23 rd Edition 2017-5220 B, C	mg/l	20
4.	BOD	APHA 23 rd Edition 2017-5210B / 4500 O- C	mg/l	8.4

Tested by

Kamlesh sahu

Kamlesh sahu (Chemist/Microbiologist)

Centre For Ground Water Recharge
Testing Laboratory
NABL Accredited Lab
Certificate No.:-TC-6813

Authorized Signature

Sarita Panigrahi

Mrs. Sarita Panigrahi (QM)

1. This test report refers only this particular item's submitted for testing
2. The test results reported in this report are valid at the time of and under the stated condition of measurement.
3. This particular test report cannot be reproduced exact in full, without prior permission of quality manager.



Safe . . . for the Future Generation !!

CGWR-TESTING LABORATORY

A House of Complete Testing

Chhatisgarh First NABL Accredited Lab in Water & Waste Water Testing
AN ISO 9001:2008 Certified Lab & NSIC, CRISIL Rating 4*

AIIMS Raipur

AIIMS Raipur



NABL
Accredited Lab
Certificate No. -

90/A, Sector-02, Geetanjali Nagar, Raipur (C.G.) 492001, Ph.:0771-4049364(Laboratory)
Mob.:94242-03354,7000664898, Email-cgwrtestinglab@gmail.com, cgwr.raipur@gmail.com, Website-http://www.cgwr

TEST REPORT

JLR - TC68131800000585F		Format No.: 5.10F-01		
TEST REPORT NO:CGWR/WW/180		SRF No: CGWR/SRF/WW/116		
Customer Name and Address-		Job Order No: CGWR/WW/180		
RAIN DROPS WATER SOLUTION		Date of receipt sample: 15/07/2019		
C/O- AIIMS, RAIPUR (C.G.)		Date of Testing : 16/07/2019-20/07/2019		
OPPOSITE GURUDWARA TATIBANDH,		Date of Reporting : 20/07/2019		
RAIPUR (C.G.)				
Sample detail : STP WATER	Sample ID: TREATED WATER	Sample Quantity: 1Ltr	Container : Plastic	
Environment Condition -: Temp27.8°C / Humidity- 45%				
Sl. No	PARAMETERS	TEST METHOD	UNIT	TEST RESULT
A.	<i>Chemical Parameter</i>			
1.	pH	APHA 23 rd Edition 2017- 4500-H+ A.	-	7.49
2.	TSS	APHA 23 rd Edition 2017-2540 C.	mg/l	6
3.	COD	APHA 23 rd Edition 2017-5220 B, C	mg/l	12
4.	BOD	APHA 23 rd Edition 2017-52108 / 4500 O- C	mg/l	3.6

Tested by

Chinmayee Mohanty (Sr.Chemist)

Centre For Ground Water Recharge
Testing Laboratory
NABL Accredited Lab
Certificate No.:TC-6813

Authorized Signature

Mrs. Sarita Panigrahi (QM)

Statement

1. This test report refers only this particular item's submitted for testing
2. The test results reported in this report are valid at the time of and under the stated condition of measurement.
3. This Particular test report cannot be reproduced exact in full, without prior permission of Quality Manager

AIIMS Raipur



Save Water for the Future Generation!

CENTRE FOR GROUND WATER RECHARGE TESTING LABORATORY

A House of Complete Water Testing

Chhattisgarh First NABL Accredited Lab in Water & Waste Water Testing
AN ISO 9001:2008 Certified Lab & CRISIL Rating 4*

AIIMS Raipur



NABL ACCREDITED
Accredited Laboratory
Certificate No. - TC-681

90/A, Sector II, Geetanjali Nagar, Raipur (Chattisgarh) Tel: 0771-4049364 (Laboratory)
Mobile No. : +91 9424203354, +91 7000664898, +91 9424203408
Email : cgwrtestinglab@gmail.com, cgwr.raipur@gmail.com Website : www.cgwr.in

TEST REPORT

LR - TC68131800000633F		Format No.: 5.10F-01		
TEST REPORT NO:CGWR/WW/185		SRF No: CGWR/SRF/WW/121		
Customer Name and Address-		Job Order No: CGWR/WW/185		
RAIN DROPS WATER SOLUTION		Date of receipt sample: 13/08/2019		
C/O- AIIMS, RAIPUR (C.G.)		Date of Testing : 14/08/2019-18/08/2019		
OPPOSITE GURUDWARA TATIBANDH, RAIPUR (C.G.)		Date of Reporting : 20/08/2019		
Sample detail : STP WATER	Sample ID: TREATED WATER	Sample Quantity: 1Ltr	Container : Plastic	
Environment Condition -: Temp 27.8°C / Humidity- 45%				
Sl. No	PARAMETERS	TEST METHOD	UNIT	TEST RESULT
A. Chemical Parameter				
1.	pH	APHA 23 rd Edition 2017- 4500-H+ A.	-	7.37
2.	TSS	APHA 23 rd Edition 2017-2540 C.	mg/l	4
3.	COD	APHA 23 rd Edition 2017-5220 B, C	mg/l	10
4.	BOD	APHA 23 rd Edition 2017-5210B / 4500 O- C	mg/l	3.6

Tested by

Kamlesh Sahu (Chemist/Microbiologist)

Centre For Ground Water Recharge
Testing Laboratory
NABL Accredited Lab
Certificate No.:-TC-6813

Authorized Signature

Mrs. Sarita Panigrahi (QM)

1. This test report refers only this particular item's submitted for testing
2. The test results reported in this report are valid at the time of and under the stated condition of measurement.
3. This particular test report cannot be reproduced exact in full, without prior permission of quality manager.



Save Water for the Future Generation!!

CENTRE FOR GROUND WATER RECHARGE TESTING LABORATORY

A House of Complete Water Testing

Chhattisgarh First NABL Accredited Lab in Water & Waste Water Testing
AN ISO 9001:2008 Certified Lab & CRISIL Rating 4*



NABL ACCREDITED
Accredited Laboratory
Certificate No. - TC-681

90/A, Sector II, Geetanjali Nagar, Raipur (Chattisgarh) Tel: 0771-4049364 (Laboratory)
Mobile No. : +91 9424203354, +91 7000664898, +91 9424203408
Email : cgwrtestinglab@gmail.com, cgwr.raipur@gmail.com Website : www.cgwr.in

TEST REPORT

LR - TC681318000000679F		Format No.: 5.10F-01		
TEST REPORT NO:CGWR/WW/203		SRF No: CGWR/SRF/WW/129		
Customer Name and Address-		Job Order No: CGWR/WW/203		
RAIN DROPS WATER SOLUTION		Date of receipt sample: 11/09/2019		
C/O- AIIMS, RAIPUR (C.G.)		Date of Testing : 11/09/2019-15/09/2019		
OPPOSITE GURUDWARA TATIBANDH, RAIPUR (C.G.)		Date of Reporting : 16/09/2019		
Sample detail : STP WATER	Sample ID: TREATED WATER	Sample Quantity: 1Ltr	Container : Plastic	
Environment Condition -: Temp 27.8 ^o C / Humidity- 45%				
Sl. No	PARAMETERS	TEST METHOD	UNIT	TEST RESULT
A.	<i>Chemical Parameter</i>			
1.	pH	APHA 23 rd Edition 2017- 4500-H+ A.	-	7.53
2.	TSS	APHA 23 rd Edition 2017-2540 C.	mg/l	2
3.	COD	APHA 23 rd Edition 2017-5220 B, C	mg/l	12
4.	BOD	APHA 23 rd Edition 2017-5210B / 4500 O- C	mg/l	6.19

Tested by

Chinmayee Mohanty (Sr. Chemist)

Centre For Ground Water Recharge
Testing Laboratory
NABL Accredited Lab
Certificate No.:-TC-6813

Authorized Signature

Mrs. Sarita Panigrahi (QM)

1. This test report refers only this particular item's submitted for testing
2. The test results reported in this report are valid at the time time of and under the stated condition of measurement.
3. This particular test report cannot be reproduced exact in full, without prior permission of quality manager.



CENTRE FOR GROUND WATER RECHARGE TESTING LABORATORY

A House of Complete Water Testing

Save Water for the Future Generation!

Chhattisgarh First NABL Accredited Lab in Water & Waste Water Testing
AN ISO 9001:2008 Certified Lab & CRISIL Rating 4*



90/A, Sector II, Geetanjali Nagar, Raipur (Chattisgarh) Tel: 0771-4049364 (Laboratory)
Mobile No. : +91 9424203354, +91 7000664898, +91 9424203408
Email : cgwrtestinglab@gmail.com, cgwr.raipur@gmail.com Website : www.cgwr.in

TEST REPORT

ULR - TC68131800000727F		Format No.: 5.10F-01		
TEST REPORT NO:CGWR/WW/209		SRF No: CGWR/SRF/WW/132		
Customer Name and Address-		Job Order No: CGWR/WW/209		
RAIN DROPS WATER SOLUTION		Date of receipt sample: 16/10/2019		
C/O- AIIMS, RAIPUR (C.G.)		Date of Testing : 17/10/2019- 21/10/2019		
OPPOSITE GURUDWARA TATIBANDH,		Date of Reporting : 22/10/2019		
RAIPUR (C.G.)				
Sample detail : STP WATER	Sample ID: TREATED WATER	Sample Quantity: 1Ltr	Container : Plastic	
Environment Condition :- Temp 27°C / Humidity- 45%				
Sl. No	PARAMETERS	TEST METHOD	UNIT	TEST RESULT
A.	<i>Chemical Parameter</i>			
1.	pH	APHA 23rd Edition 2017- 4500-H+ A.	-	6.84
2.	TSS	APHA 23rd Edition 2017-2540 C.	mg/l	NIL
3.	COD	APHA 23rd Edition 2017-5220 B, C	mg/l	10
4.	BOD	APHA 23rd Edition 2017-5210B / 4500 O- C	mg/l	2.4

Tested by

Chinmayee Mohanty (Sr. Chemist)

Centre For Ground Water Recharge Authorized Signature

Testing Laboratory
NABL Accredited Lab
Certificate No.:-TC-6813

Mrs. Sarita Panigrahi (QM)

1. This test report refers only this particular item's submitted for testing
2. The test results reported in this report are valid at the time time of and under the stated condition of measurement.
3. This particular test report cannot be reproduced exact in full, without prior permission of quality manager.



अखिल भारतीय आयुर्विज्ञान संस्थान, रायपुर (छत्तीसगढ़)

All India Institute of Medical Sciences, Raipur (Chhattisgarh)

Tatibandh, GE Road,

Raipur-492 099 (CG)

www.aiimsraipur.edu.in

Date- 19-09-2019

MS/OW/2019/ 2229

Circular

Following members of the biomedical waste management committee of AIIMS Raipur and executive engineer project cell are requested to attend the meeting scheduled on **23-09-2019** in the chamber of Medical Superintendent's office at **3:00 PM** to **4:00 PM**.

- | | |
|--|-----------------------------|
| 1. Dr. Ramesh Chandrakar, DMS | - Member |
| 2. Prof. Alok C. Agrawal, Dept. of Orthopedics | - Member |
| 3. Prof. Sarita Agrawal, Dept. of Obs.&Gynae | - Member |
| 4. Prof. Narendra Bodhey, Dept. of Radio-diagnosis | - Member |
| 5. Dr. D.Mohanty, Dept. of Surgery | - Member |
| 6. Dr. Abhiruchi Galhotra, Dept. of CFM | - Member |
| 7. Dr. Tushar, Dept. of Pediatrics | - Member |
| 8. Dr. (Mod.) Sabah Siddiqui, Dept. of Medicine | - Member |
| 9. Dr. Padma Das, Dept. of Microbiology | - Member Secretary BMW |
| 10. Anudita Bhargava, Dept. of Microbiology | - Member secretary, HICC |
| 11. Dr. Ujjwala Gaikwad, Dept. of Microbiology | - Infection Control Officer |
| 12. Mr. Rajendar Singh, ANS | - Member |
| 13. Mr. Narendra Bishnoi, Sr. Nursing Officer | - Member |
| 14. Mr. Omprakash Dhakad, Sr. Nursing Officer | - Member |
| 15. Mr. Ajay Singh, Nursing Officer | - Member |
| 16. Mr. Manoj Rastogi, Executive engineer project cell | |

Kindly make it convenient to attend the meeting positively.

Thanking You

Ranajit Singh
19-9-2019
Medical Superintendent
AIIMS Raipur
Chhattisgarh
अखिल भारतीय आयुर्विज्ञान संस्थान, रायपुर (छ.ग.)
All India Institute of Medical Sciences, Raipur (C.G.)



आरोग्यम् सुखं सत्यम्

जैव चिकित्सा अपशिष्ट प्रबंधन विभाग
Department of Biomedical Waste Management
अखिल भारतीय आयुर्विज्ञान संस्थान, रायपुर (छत्तीसगढ़)
All India Institute of Medical Sciences, Raipur (Chhattisgarh)
Tatibandh, GE Road,
Raipur-492 099 (C.G.)
www.aiimsraipur.edu.in

AIIMS/MICRO/BMW/2019/25

Date: 23/09/2019

Minutes of meeting Biomedical Waste Management committee, AIIMS, Raipur

The meeting of biomedical waste management committee AIIMS RAIPUR was held at the office of the medical superintendent of AIIMS Raipur on 23/09/2019 under the chairmanship of Dr. Karan Peepre medical superintendent and chairman biomedical waste management committee, AIIMS Raipur.

Following members attended the meeting.

1. Prof. Dr. Karan Peepre, Medical superintendent AIIMS Raipur.
2. Prof. Dr. Alok .C Agrawal, Professor & Head, Dept. of Orthopedic AIMS, Raipur
3. Dr. Ramesh Chandrakar, Deputy Medical Superintendent, AIIMS Raipur.
4. Dr. Tushar Jagzape, Associate Professor, Dept. of pediatric AIIMS Raipur.
5. Mr. Manoj Rastogi, E.E, Project cell AIIMS Raipur.
6. Dr. Ujjwala Gaikwad, Additional Professor, Dept. of Microbiology, AIIMS Raipur.
7. Dr. Vikram Kar, Associate Professor, Dept. of Orthopedic, AIIMS Raipur.
8. Dr. Chandrasekhar Srivastava, associate Professor, Dept. of Obs & Gynec, AIIMS Raipur.
9. Dr. Padma Das, Member secretary BMW management committee, AIIMS, Raipur
10. Mr. Rajendra Singh, Assistant Nursing Superintendent, AIIMS, Raipur
11. Mr. Om Prakash Dhakar, Senior Nursing Officer, AIIMS, Raipur
12. Mr. Narendra Kumar Bishnoi, Senior Nursing Officer, AIIMS, Raipur
13. Mr. Ajay Singh, Nursing Officer, AIIMS, Raipur



आरोग्यम् सुखं सम्पदा

जैव चिकित्सा अपशिष्ट प्रबंधन विभाग
Department of Biomedical Waste Management
अखिल भारतीय आयुर्विज्ञान संस्थान, रायपुर (छत्तीसगढ़)
All India Institute of Medical Sciences, Raipur (Chhattisgarh)
Tatibandh, GE Road,
Raipur-492 099 (C.G.)
www.aiimsraipur.edu.in

Minutes of meeting are as follows-

1. Allocation of extra space for storing biomedical waste will be done in the existing BMW building keeping in view increasing production of waste due to expansion of hospital facility. Medical superintendent Dr. Karan Peepre has agreed upon it and will issue an office order regarding this shortly.
2. Executive engineer of project cell Mr. Manoj Rastogi committed that two ETPs one in A-A1 block and another in medical college building will be declared functional in first week of October 2019. information will be shared to the committee as soon as it is done .and remaining two of the ETP will be made functional shortly .He was requested to provide a copy of original layout showing the connection of ETP to various departments which is to be recorded in the files of BMW management committee. It was also informed by project cell that maintenance of functional ETP will be done by the vendor for initial two years and detailed information will be provided to the committee.
3. Application for renewal of authorization will be again sent to State Pollution Control Board after obtaining functional certificate of two ETP and STP.
4. Approximately yearly requirement of equipments related to BMW management will be provided by the committee to the medical superintendent office along with their technical specifications and approximate cost to facilitate early purchase.
5. For general waste store area, a site was suggested near the parking area in back side of the BMW building and project cell was requested to undertake necessary working plan to provide storage site there.
6. Dr. Padma Das suggested to go for proper MOU with existing Common waste treatment facility (CBWTF) SMS Enviro protects pvt ltd including penalty clause, defined work area and bar coding facility.
7. Proposal for purchase of automated liquid waste treatment system was raised by Dr. padma das and Mr. Ajay singh which was discussed among the members and finally suggested to wait till 1st week of October 2019 for declaration of functionality ETP.
8. Purchase of another weighing machine was approved by Medical Superintendent for quantitating general waste as per request given by BMW management committee.

Very Imp

Circulate

To 2 day

to BMW

Committee

members

08-11-19

AIMS Raipur

Approved

Kaushik
30.10.2019

(Dr. Padma Das)

Head
Department of Microbiology
All India Institute of Medical Sciences

 BMW MONTHLY WEIGHT IN (KILOGRAM) RECORD 2019

MONTH	RED	YELLOW	BLUE/GLASS	WHITE/SHARP	GENERAL WASTE
JANUARY	3313.650	3848.370	644.650	79.950	2890
FEBRUARY	3380.650	3340	632.550	91.700	2810
MARCH	3624.700	3864.800	667.950	109.350	2480
APRIL	3960.600	3674.450	640.350	112.800	3040
MAY	4011.400	3690.650	598.650	110.350	3006
JUNE	4657.840	3694.540	147.250	137.250	4900
JULY	5163.600	4822.550	1972.200	155.850	5400
AUGUST	5682.100	4793.900	1101.900	159.250	6300
SEPTEMBER	5991.111	5454.700	1144.450	162.150	5950
OCTOBER	7468.950	6893.420	999.650	145.500	6350
NOVEMBER	7208.700	7269.650	1276.450	163.900	6980
DECEMBER	6403.450	6001.250	1198.400	158.050	6870
TOTAL	60866.74	57347.280	11024.450	1586.155	56976

Cross check
and verified
A
31/12/19.


31.1.20



Biomedical Waste Management (BMW)

12/12/2019 at 3:00 PM to 5:30 PM

Venue: U.G. Laboratory - II, Department of Microbiology (Gate no. 05, AIIMS, Raipur)

S. No.	Name	Contact Number	Email. I.D.	Signature
01	EYAFELAKVA LJNGDDH MAHPHLANG	9612473005	fela_lm@yahoo.in. fela_lm@yahoo.in.	FLM
02	RACHANA SONI	9770887147	srachusoni1@yahoo.com	Rachana Soni
03	Mr. KANAKARAJ S	9450216921	kanakaraj21@gmail.com	Kanaka
04	Mr. Shanwan Singh	9602916480	dsawan1986@gmail.com	Shanwan
05	Mr. J. Pradeep Kumar	9492129909	Paddujakka@gmail.com	Pradeep
06	MR. MOHAMED AMOUSE A	8110085460	ghouse88@gmail.com	Mohamed
07	Mr. Ravikiran B. Taksande	8329905381	mackrockee13@yahoo.in	Ravikiran
08	Mrs. Priyanka D. Gajbhiye	9340113545	priyankagajbhiye13@gmail.com	Priyanka
09	Mrs. Anamika Das	7803991766	aney.speed@gmail.com	Anamika
10	Mrs. Suguna Urakaranam	9943057864	sugunaurakaranamghouse@gmail.com	Suguna
11	Ms. Pranshvi Sabani	7204176718	Sabanipr@gmail.com	Pranshvi
12	Shanti Toppo	9617279050	shantibhagat25121991@gmail.com	Shanti
13	Mr. Om Prakash Dhakar	9654749536	dhakar_om@yahoo.com	Om Prakash
14	Rakhi Pal	9131517575	op1987june10@gmail.com	Rakhi
15	Vadivelan	6380009774	mvadivelann@gmail.com	Vadivelan
16				
17				
18				
19				
20				
21				
22				
23				
24				



Biomedical Waste Management (BMW)

12/12/2019 at 3:00 PM to 5:30 PM

Venue: U.G. Laboratory – II, Department of Microbiology (Gate no. 05, AIIMS, Raipur)

S. No.	Name	Contact Number	Email. I.D.	Signature
01	EVAFELAKVA LUNGDOH MAWPHLANG	9612473005	fela_lm@yahoo.in. fela_lm@yahoo.in.	ELM
02	RACHANA SONI	9770887147	rachusoni1@yahoo.com	Rachana Soni
03	Mr. KANAKARAJ S	9450216921	kanakaraj21@gmail.com	Kanakaraj S
04	Mr. Shanwan Singh	9602916480	dsawan1986@gmail.com	Shanwan Singh
05	Mr. J. Pradeep Kumar	9492129909	Paddufakka@gmail.com	J. Pradeep Kumar
06	MR. MOHAMED MOUSEA	8110085460	gmouse88@gmail.com	Mohamed Mousa
07	Mr. Ravikiran B. Taksande	8329905381	mrackrocker13@yahoo.in	Ravikiran B. Taksande
08	Mrs. Priyanka D. Gajbhiye	9340112545	priyankagajbhiye13@gmail.com	Priyanka D. Gajbhiye
09	Mrs. Anamika Das	7803991766	aney.speed@gmail.com	Anamika Das
10	Mrs. Suguna Urakaranam	9943057864	sugunaurakaranamghouse@gmail.com	Suguna Urakaranam
11	Mrs. Pranshvi Sabani	7204176718	Sabanipm@gmail.com	Pranshvi Sabani
12	Shanti Toppo	9617279050	shantihalagat25121981@gmail.com	Shanti Toppo
13	Mr. Om Prakash Dhakar	9654749596	dhakar_om@yahoo.com	Om Prakash Dhakar
14	Rakhi Pal	9131517575	rp1987june10@gmail.com	Rakhi Pal
15	Vadivelan	6380009774	mvadivelan@gmail.com	Vadivelan
16				
17				
18				
19				
20				
21				
22				
23				
24				

Training for HK Staffs :-

03/01/2019

- i) Spill Management -
- ii) Dilution Ratio & Uses of disinfectant.
- iii) Hand Hygiene - Hand Wash / Hand Rub
- iv) PPE - Personal Protective equipment
- v) Bio Medical Waste Handling -

Staffs Present -

1	Hemibela	(21)	अमित कुमार शर्मा
2	Pradeep	(22)	पुष्पा शर्मा
3	Padman Naita	(23)	केशव शर्मा
4	Tanuj	(24)	अमित कुमार
5	Pradeep	(25)	हनुमान
6	Deborah	(26)	प्राणा शर्मा
7	दीपक शर्मा	(27)	संजय शर्मा
8	अमित शर्मा	(28)	राजेश शर्मा
9	Pradeep	(29)	महेश शर्मा
10	Pradeep	(30)	अमित शर्मा
11	Vishal Kumar	(31)	विश्वेश शर्मा
12	शक्ति शर्मा	(32)	अमित शर्मा
13	नितेश शर्मा	(33)	इन्द्रजीत शर्मा
14	अमित शर्मा	(34)	अमित शर्मा
15	Pradeep	(35)	अमित शर्मा
16	अमित शर्मा	(36)	अमित शर्मा
17	अमित शर्मा	(37)	अमित शर्मा
18	अमित शर्मा	(38)	अमित शर्मा
19	Amal Khera	(39)	अमित शर्मा
20	अमित शर्मा	(40)	अमित शर्मा
21	अमित शर्मा	(41)	अमित शर्मा
22	अमित शर्मा	(42)	अमित शर्मा
23	अमित शर्मा	(43)	अमित शर्मा
24	अमित शर्मा	(44)	अमित शर्मा
25	अमित शर्मा	(45)	अमित शर्मा
26	अमित शर्मा	(46)	अमित शर्मा
27	अमित शर्मा	(47)	अमित शर्मा
28	अमित शर्मा	(48)	अमित शर्मा
29	अमित शर्मा	(49)	अमित शर्मा
30	अमित शर्मा	(50)	अमित शर्मा
31	अमित शर्मा	(51)	अमित शर्मा



Biomedical Waste Management (BMW)

23/01/2020 at 2:00 PM to 6:00 PM

Venue: U.G. Laboratory – II, Department of Microbiology (Gate no. 05, AIIMS, Raipur)

S. No.	Name	Contact Number	Email. I.D.	Signature
01	CHANDRA PRAKASH	9645012246	cpjmrchs11@jorcid.com	Chy
02	DEEPAK KUMAR JATAY	9233406580	Deepeshj99@gmail.com	Deepak
03	MOHAMMED MOHSIN KHAN	7740811568	MOHAMMEDMOHSINKHAN2@gmail.com	Mohsin
04	Sabir Husain	7000382790	Sabirhusain04@gmail.com	Sabir
05	VERITY	9383361668	verity.kbudon@gmail.com	Verity
06	Ruchmani Jyoti	7354118462	ruchmani1jyoti@gmail.com	Jyoti
07	Anupama Pradhan	9424488461	Purpatlekha@gmail.com	Anupama
08	Aradhana Dayal	9301912012	Aradhanaamishoo7@gmail.com	Aradhana
09	Namita Sahu	8357835247	namita1810@gmail.com	Namita
10	ELZA JOSEPH	9784214000	elzaanish1986@gmail.com	Elza
11	A. Rajakumari	9618745668	raj5050@gmail.com	Rajakumari
12	KESHAV RAY VERMA	9983499036	Krverma1988@gmail.com	Keshav
13	ASHOK SAINI	9166252347	ashokson89@gmail.com	Ashok
14	BANOTHU ANIL	8130639269	anilnayakmtcn@gmail.com	Anil
15	Prince Jose	9990824365	Princemannara@gmail.com	Prince
16	Dilip Kumar	7639977050	dilipkumarchauhan409@gmail.com	Dilip
17	parashuram chalaswadi	8308456547	pchalawadi02@yahoo.com	Parashuram
18	vidai Singh fut	9785624204	Ajathotawadi@gmail.com	Vidai
19	Chidambas Kulkarni	8951651165	ckoptim@gmail.com	Chidambas
20	Vijay Kumar H. Savdesing	9629909475	viji.savdesing@gmail.com	Vijay
21	Bhargavi Bethapudi	9652418506	lucky124225@gmail.com	Bhargavi
22	Annapurna Nayak	9178665486	iannapurna nayak@gmail.com	Annapurna
23	Mudrasudha. Srinivas Reddy	954202788	sriuo.joshua@gmail.com	Mudrasudha
24	Mr. ANURAG GAROIA	8518887700	anurag.garoia@gmail.com	Anurag

S. No.	Name	Contact Number	Email. I.D.	Signature
25	Victor Sana Singh	88277924	SINGHVICTORSANA@GMAIL.COM	
26	LAXMI CHAND KACHHAWA	9928472050	laxmichand100750@gmail.com	
27	Sonam Maib	8103830353	Sonammaib1882@gmail.com	
28	MITHLESH SAHU	90980044847	mythsahu@gmail.com	
29	BAMMIDI Asuna Kumari	9949822286	asunakumari1991@gmail.com	
30	P. Bindu	9618841880	bindu489@gmail.com	
31	SEEMA VERMA	8103175769	verma.seema4@gmail.com	
32	MEENATCHI	7639110932	brnceeu111@gmail.com	
33	Ashish Soma	9987521819	ashishsoma008@gmail.com	
34	Shail mala Laksh	9939174774	shailmala9@gmail.com	
35	Roshni Minj	9407950780	roshniminj17@gmail.com	
36	Mukesh Kumar Yadav	9636765296	mukesh23yadav@gmail.com	
37	Nitin Galav	8769770977	Nitingalav90@gmail.com	
38	Priyanka Sahu	9685163929	alkasahu922@gmail.com	
39				
40				
41				
42				
43				
44				
45				
46				
47				
48				
49				
50				



Biomedical Waste Management (BMW)

23/01/2020 at 2:00 PM to 6:00 PM

Venue: U.G. Laboratory – II, Department of Microbiology (Gate no. 05, AIIMS, Raipur)

S. No.	Name	Contact Number	Email. I.D.	Signature
01	CHANDRA PRAKASH	9645012246	cpjprakash11@gmail.com	Ch
02	DEEPAK KUMAR JATAY	9233406580	Deepeshj99@gmail.com	Am
03	MOHAMMED MOHSIN KHAN	7740811568	MOHAMMEDMOHSINKHAN2@gmail.com	Mohsin
04	Sabir Husain	7000382790	Sabirhusain04@gmail.com	Sabir
05	VERITY	9383361668	verity.kbudon@gmail.com	Verity
06	Ruchmani Japu	7854118462	ruchmani1japu@gmail.com	Ruchmani
07	Anupama Pradhan	9424458468	Purpatheba@gmail.com	Anupama
08	Aradhana Dayal	9301912812	Aradhanaamairhoo7@gmail.com	Aradhana
09	Namita Sahu	8357836247	namita1810@gmail.com	Namita
10	ELZA JOSEPH	9784214000	elzaanish1986@gmail.com	Elza
11	A. Rajakumari	9618745668	raji5050@gmail.com	A. Rajakumari
12	KESHAV RAY VERMA	9983499036	Krverma1988@gmail.com	Keshav
13	ASHOK SAINI	9166252347	ashokson89@gmail.com	Ashok
14	BANOTHU ANIL	8130639269	anilnayakmtcn@gmail.com	Anil
15	Prince Jose	9990824865	Princemannara@gmail.com	Prince
16	Dilip Kumar	7639977050	dilipkumarchauhan409@gmail.com	Dilip
17	parashuram chaluwadi	8308456547	pchalawadi02@yahoo.com	Parashuram
18	udai singh fut	9785624204	Ajathotawar@gmail.com	Udai
19	Chidambas Kulkarni	8951651165	ckoptim@gmail.com	Chidambas
20	Vijay Kumar H. Savatsang	9629909475	viji.savatsang@gmail.com	Vijay
21	Bhargavi Bethapudi	9652418506	lucky12425@gmail.com	Bhargavi
22	Annapurna Nayak	9178665486	iannapurna.nayak@gmail.com	Annapurna
23	Mudigundla. Srinivas Reddy	9542092788	sriuo-joshua@gmail.com	Mudigundla
24	MR. ANURAG GAROIA	8518887766	anurag.garoia@gmail.com	Anurag

S. No.	Name	Contact Number	Email. I.D.	Signature
25	Victor Sana Singh	882789224	SINGHVICTORSANA@GMAIL.COM	
26	LAXMI CHAND KACHAWA	9928472050	laxmichand10k75@gmail.com	
27	Sonam Maib	8103830353	Sonammaib1882@gmail.com	
28	MITHLESH SAHU	9098004847	mythsahu@gmail.com	
29	BAMMIDI Arunci Kumari	9949822286	asurakunasi1991@gmail.com	
30	P. Bindu	9618841880	bindu489@gmail.com	
31	SEEMA VERMA	8103175760	verma.seema4@gmail.com	
32	MEENATCHI	9639110932	brameenu11@gmail.com	
33	Ashish Soma	9987521819	ashishsoma08@gmail.com	
34	Shail mala Laksh	9939174774	shailmala9@gmail.com	
35	Roshni Minj	9407950780	roshniminj77@gmail.com	
36	Mukesh Kumar yadav	9636765296	mukesh23yadav@gmail.com	
37	Nitin Galav	8769770977	Nitingalav90@gmail.com	
38	Priyanka Sahu	9685163929	arkasahu922@gmail.com	
39				
40				
41				
42				
43				
44				
45				
46				
47				
48				
49				
50				

Feed Back Form

Topic: BMW Management at M.O.T

Date: 26/01/20

S No	Name	Designation	Signature	Remarks
1	Sweety	Nursing Officer	Sweety	Good.
2	Sonali	Nursing officer	Sonali	Good class, knowledgeable
3	Preety	Nursing officer	Preety	Good.
4	Manish K. Kausik	Nursing officer	Manish	it was great
5	Hiju. Rajuram	Nursing officer	Hiju	Well.
6	Teja mah Jolly	Nursing officer	Teja	Good.
7	Bijla Brassy. EV	Nursing officer	Bijla	Good.
8	Jessika N	Nursing officer	Jessika	Well
9	Saurthy D	Nursing Officer	Saurthy	
10	Bisbal Singh	Nursing officer	Bisbal	Good.
11	Anurag Jain	Nursing officer	Anurag	well
12	LAIJU JOY	Nursing officer	Laiju	Informative
13	M. Rajesh Reddy	Nursing officer	Rajesh	
14	Priyanshu Mishra	Nursing officer	Priyanshu	Informative
15	Emmanuel Paul	Nursing officer	Emmanuel	Knowledgeable
16	Madan Reddy	Nursing officer	Madan	Good.
17	ANOMOL PARAMESWARAN	NURSING OFFICER	Anamol	Well presented.
18	Samuel Sijth Debby	Nursing officer	Samuel	good.
19	Greeta Sahy	Nursing officer	Greeta	good.
20	Neha Bhatt	Nursing officer	Neha	good.
21	Moh IBIN ABRAHAM	Nursing officer	Moh	V. good.
22	Bobby Srimath	Nursing officer	Bobby	very good.
23	Ashish	Nursing officer	Ashish	V. good.
24	Motilal	Nursing officer	Motilal	V. good.

BMW UPDATED JUNE 2019

CLASS. at M.O.T 25/01/2020

BMW CLASS

S.R.N	Name of staff	Designation	Signature
1	Bobby Syiemlich	Nursing Officer	Bobby
2	MR LIBIN ABRAHAM	Nursing officer	Libin
3	Samuel Sujin babu	nursing officer	Samuel
4	Priya neelam Meiy	"	Priya
5	Jessica V	Nursing officer	Jessica
6	Sreethy D	Nursing officer	Sreethy
7	Anurag Jain	nursing officer	Anurag
8	M. Rajah Reddy	nursing officer	Rajah
9	E.MMANUEL PAUL	Nursing officer	Emmanuel
10	madan leel jaf	Nursing officer	Madan
11	Moti Lal Baisara	Nursing officer	Moti
12	Manish Kumar Raghav	Nursing officer	Manish
13	Sanali Sharma	Nursing officer	Sanali
14	Anamol Parameswaran	Nursing Officer	Anamol
15	Ashish	"	Ashish
16	Sweety	"	Sweety
17	Levety Saini	Nursing officer	Levety
18	Priyanka	" "	Priyanka

Name of Employee

MO: A-A1 Block

AIIMS Raipur

Sig.

Date - 25/01/2020

1) DINESH KUMAR YADAV

2) Manoj Kumar Garg

3) Akanksha Patel

4) Amy Marwin John

5) P. Bindu

6) YADVENDRA SAINI

7) Quati Jacob

8) Nandhi

9) Nimmy Domini Alex

10) Mukesh Kumar Malan

11) Mr. Rakhi Pal

Sinh

Manoj

AK

Amy

Bindu

Yadvendra


QS

Nandhi

Nimmy

Mukesh

Rakhi



Nursing Staff list for BMW Training on 27/02/2020

S.No.	Name Of Nursing Staff	Post	Dept	Signature
1	Mr. V. JaythilakaDhayanathan	SNO	Male med.wd	
2	Mrs. KarunaKumari	SNO	NICU	
3	Mr. KartikAnnadi	SNO	3B2 WD	
4	Mr. Ramanujam	SNO	3B4 WD	
5	Mr. Rahul Prakash P.	NO	Male med.wd	
6	Mr. Ashok Kumar	NO	Male med.wd	
7	Mrs. Sarla Singh	NO	Female med wd	
8	Mrs. Anupama Pradhan	NO	Female med wd	
9	Miss. Karishma	NO	Labour Room	
10	Miss. Nigning	NO	Labour Room	
11	Mrs.AradhnaDayal	NO	Labour Room	
12	Miss. Abinaya Alias Revathi K	NO	ANC wd	
13	Miss. Jayanthi V.	NO	ANC wd	
14	Mrs. Aparna	NO	NICU	
15	Miss. Akshara	NO	NICU	
16	Mr. Chaitanya	NO	NICU	
17	Mr. Deepak Kumar Jatav	NO	3B1 WD	
18	Mr. BadalPrajapat	NO	3B1 WD	
19	Mr. PrashanthChalla	NO	3A3 WD	
20	Mr. Mohanjeet	NO	3A3 WD	
21	Mr. Akhil Vishnu	NO	2A4 WD	
22	Mr. ManrajChowdhari	NO	2A4 WD	
23	Mr. LaxmichandKachhawa	NO	3B2 WD	
24	Mr. Vijay	NO	2B3 WD	
25	Mr. Sharnappa	NO	2B3 WD	
26	Mr. DharmchandLamba	NO	T & E 1st floor	
27	Mr. JeetramPrajapat	NO	T & E 1st floor	
28	Mr. Kudalappa	NO	CCU	
29	Mr. Deepak	NO	CCU	
30	Mr. Deendayal	NO	3A1 WD	
31	Mr. Mahendra Suman	NO	3A1 WD	
32	Miss Khushboo	NO	3A1 WD	
33	Miss. Annu S. Dinesh	NO	3A1 WD	
34	Mr. Ram Dayal	NO	3B1 WD	
35	Mr. Arshath Raja M	NO	3B4 WD	

36	Miss. Anumol T. Eldhose	NO	3B4 WD	Amr
37	Miss. Shilpa Antony	NO	3B4 WD	SU
38	Mr. Hansaraj	NO	psychiatric wd	Ekir
39	Mr. Dinesh Sharma	NO	psychiatric wd	
40	Miss. Abhilasha Givan	NO	psychiatric wd	AB
41	Miss. SangitaKhushboo	NO	2D1	
42	Mr. Suraj Prakash Budhania	NO	2D1	
43	Miss. Anju Mohan	NO	1B2	Anju
44	Miss. Lakshmi Prasanna	NO	1B2	Lakshmi
45	Miss. Sonali	NO	T & E OT	
46	Miss. Sweety	NO	T & E OT	
47	Miss. Nisha	NO	3A4	Nisha
48	Miss. Rakhi	NO	3A4	Rakhi
49	Miss. Roslin	NO	3A4	Roslin
50	Ms. Kavita Kanauge	NO	CTVS	Kavita

Training for HK Staffs :-

05/02/2020

Topics Covered :-

- 1- Hand Hygiene.
- 2- Three bucket cleaning.
- 3- PPE (Safety)
- 4- BMW - Management & Handling

Staff Present :- (Signature)

- | | | | |
|----|----------------|----|-----------|
| 1 | Keptal | 25 | हमलता |
| 2 | Debi | 26 | सुम |
| 3 | दीप्ति | 27 | एसमीत |
| 4 | शरिता | 28 | लक्ष्मी |
| 5 | दीपिका | 29 | प्रतिभा |
| 6 | Kanaka | 30 | धर्म |
| 7 | Radha | 31 | विष्णु |
| 8 | Satish K. Sahu | 32 | राजेश |
| 9 | पुनार्शु | 33 | राजेश |
| 10 | Devi | 34 | दीप्ति |
| 11 | शरिता | 35 | पिपरी |
| 12 | अनिता | 36 | दीप्ति |
| 13 | अनिता | 37 | Sup:- |
| 14 | दीप्ति | 38 | 1- Ramani |
| 15 | Laxmi | 39 | 2- Sumit |
| 16 | मलय | 40 | 3- Anant |
| 17 | दीप्ति | 41 | 4- Anu |
| 18 | दीप्ति | | |
| 19 | दीप्ति | | |
| 20 | दीप्ति | | |
| 21 | दीप्ति | | |
| 22 | दीप्ति | | |
| 23 | दीप्ति | | |
| 24 | दीप्ति | | |